

# Material Safety Data Sheet

## SECTION 1. PRODUCT IDENTIFICATION

**Product name:** Sugar Soap  
**Manufacturer:** UNI-PRO PAINTING EQUIPMENT  
**Supplier Address:** Units 9-12, 144-150 Canterbury Road, Kilsyth VIC 3137  
**Supplier Contact:** Customer Service  
**Telephone:** 03 9761 7900  
**Fax:** 03 9761 6522  
**Emergency Contact:**  
**Recommended use:** General purpose cleaner/degreaser

## SECTION 2. HAZARDS IDENTIFICATION

### Statement of Hazardous Nature

This product is classified as hazardous according to the criteria of WorkSafe Australia.  
NOT a Dangerous Good according to the Australian Dangerous Goods (ADG) Code Version 7.

**GHS Signal Word(s):** **WARNING**

**Hazard Statement(s):** H315 Causes skin irritation.  
H320 Causes eye irritation.

**GHS Pictogram(s):**



### Precautionary Statement(s)

**Prevention:** P102: Keep out of reach of children.  
P264: Wash contacted areas thoroughly after handling.  
P233+P234: Keep only in original container. Keep container tightly closed.  
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response

P353: Rinse skin or shower with water.  
P301+P330+P338: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P305+P351+P338: IF IN EYES: Rinse with water for several minutes.  
Remove contact lenses, if present. Continue rinsing.  
P332+P313: If skin irritation occurs: Get medical advice.  
P337+P313: If eye irritation persists: Get medical advice.  
P391: Collect spillage.  
P370+P378: Not combustible. Use extinguishing media suited to burning materials.

### Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

### Disposal

P501 Dispose of small quantities down sink and place empty containers in garbage.

# Material Safety Data Sheet

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Characterization:** Aqueous blend of proprietary surfactants and alkalis.

**Hazard Ingredients:**

<u>Name</u>	<u>Cas no.</u>	<u>Proportion</u>	<u>Hazard symbol</u>	<u>Risk phrase</u>
Butyl Glycol Ether	111-76-2	LOW	Xi	R36/38

KEY: Proportion, (wt %) - V HIGH >60, HIGH 30 - 60, MED 10 -29, LOW 1-9, V LOW <1

<u>Ingredients</u>	<u>CAS No.</u>	<u>Proportion</u>	<u>TWA (mg/m<sup>3</sup>)</u>	<u>STEL (mg/m<sup>3</sup>)</u>
Anionic surfactant blend	-	MED	not set	not set
Alkali Builders	-	LOW	not set	not set
Butyl Icinol	111-76-2	LOW	121	not set
Other	-	V LOW	not set	not set
Water	7732-18-5	V HIGH	not set	not set

KEY: Proportion, (wt %) - V HIGH >60, HIGH 30 - 60, MED 10 -29, LOW 1-9, V LOW <1

Note: The exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL.

## SECTION 4. FIRST AID MEASURES

<b>Ingestion:</b>	Rinse mouth with water. Do NOT induce vomiting. Consult a physician.
<b>Skin:</b>	Wash off with soap and plenty of water.
<b>Eye contact:</b>	Rinse thoroughly with plenty of water for at least 15 minutes, while holding eyelids open
<b>Inhalation:</b>	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>First Aid Facilities:</b>	Maintain eyewash fountain and safety shower in work area.
<b>Advice to Doctor:</b>	Treat symptomatically.
<b>Other Information:</b>	For advice, contact the National Poisons Information Centre (Australia 13 11 26 and New Zealand 0800 764 766) or a doctor. Have this SDS with you when you call.

## SECTION 5. FIRE-FIGHTING MEASURES

<b>Suitable extinguishing media:</b>	Use extinguishing media most appropriate for the surrounding fire such as water, foam or dry agent (carbon dioxide, dry chemical powder). If safe to do so, move undamaged containers from the fire area. If a significant quantity (>200L) of this product is involved in a fire, call the fire brigade.
<b>Specific hazards arising from the chemical:</b>	There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. This product is likely to decompose only after heating to dryness, followed by further strong heating.
<b>Precautions in connection with fire:</b>	Wear SCBA and chemical splash suit. Fully encapsulating, gas-tight suits should be worn for maximum protection.

---

## Material Safety Data Sheet

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions:</b>	Use personal protective equipment. Avoid breathing mist. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.
<b>Personal Protection:</b>	Wear protective clothing specified for normal operations (see Section 8)
<b>Clean-up Methods-Small Spillages:</b>	Minor spills do not require special clean up measures or emergency procedures. Wear recommended personal protective equipment outlined in Section 8 when containing any spillage.
<b>Large Spillages:</b>	Prevent Spillage from entering drains or water courses. Seek expert advice on handling and disposal.
<b>Environmental Precautions:</b>	Store large volumes in bunded or contained areas. Do not let product enter drains or waterways.

### SECTION 7. HANDLING AND STORAGE

<b>Precautions for Safe Handling:</b>	Product is safe to handle under normal conditions of use.
<b>Risk Phrases:</b>	R36/38 Irritating to eyes and skin.
<b>Conditions for safe storage:</b>	Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers that are opened must be carefully resealed and kept upright to prevent leakage.
<b>Incompatible products:</b>	None known
<b>Incompatible materials:</b>	None known

# Material Safety Data Sheet

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational exposure limit values

<u>Name</u>	<u>STEL (mg/m<sup>3</sup>)</u>	<u>TWA (mg/m<sup>3</sup>)</u>
Butyl Glycol Ether	242	96.6

### Appropriate engineering controls:

In industrial situations maintain the concentrations values below the TWA. This may be achieved by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods.

### Personal Protective Equipment:

Final choice of personal protective equipment will depend on individual circumstances and/or according to risk assessments undertaken.

### Respiratory Protection:

Where ventilation is not adequate, respiratory protection may be required. Avoid breathing mists. Respiratory protection should comply with AS 1716 - Respiratory Protective Devices and be selected in accordance with AS 1715 - Selection, Use and Maintenance of Respiratory Protective Devices. Filter capacity and respirator type depends on exposure levels.

In event of emergency or planned entry into unknown concentrations a positive pressure, full-face piece SCBA should be used. If respiratory protection is required; institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

### Eye Protection:

The use of a face shield, chemical goggles or safety glasses with side shield protection as appropriate. Must comply with Australian Standards AS 1337 and be selected and used in accordance with AS 1336.

### Hand Protection:

Avoid skin contact when removing gloves from hands, do not touch the gloves outer surface. Hand protection should comply with AS 2161, Occupational protective gloves - Selection, use and maintenance.

### Footwear:

Safety boots in industrial situations is advisory, foot protection should comply with AS 2210, Occupational Protective Footwear - Guide to Selection, Care and Use.

### Body Protection:

Clean clothing or protective clothing should be worn, preferably with an apron. Clothing for protection against chemicals should comply with AS 3765 Clothing for Protection Against Hazardous Chemicals.

### Hygiene Measures:

Do not eat, drink or smoke in work areas. Wash hands thoroughly after handling this material. Maintain good housekeeping.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Thin, clear, yellow liquid.
<b>Odor:</b>	Unscented
<b>Boiling Point:</b>	~100°C
<b>Solubility:</b>	Soluble in water in all proportions.
<b>Specific Gravity:</b>	1.0 g/cm <sup>3</sup> @ 20°C
<b>pH:</b>	11 - 11.5 (as supplied)
<b>Viscosity:</b>	<50 cPs @ 20°C
<b>Percent volatile:</b>	>80%
<b>Flammability:</b>	Non flammable

# Material Safety Data Sheet

## SECTION 10. STABILITY AND REACTIVITY

<b>Chemical Stability:</b>	Stable under normal conditions of use.
<b>Conditions to Avoid:</b>	No special conditions. Refer to storage conditions in Section 7.
<b>Incompatible Materials:</b>	None known.
<b>Hazardous Decomposition products:</b>	Not determined.
<b>Possibility of hazardous reactions:</b>	Not determined.
<b>Hazardous Polymerization:</b>	Will not occur.

## SECTION 11. TOXICOLOGICAL INFORMATION

<b>Local Effects:</b>	Irritant: eye, skin, inhalation and ingestion.
<b>Target Organs:</b>	Eyes and skin.

## SECTION 12. ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	No data available.
<b>Persistence and Degradability</b>	Biodegradable No data available.

Major ingredients are biodegradable and are NOT expected to accumulate in soil or water, nor cause long term problems.

## SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal:</b>	The small quantities contained in wash solutions can be handled by conventional sewage, septic and grey water systems. To dispose of large quantities of undiluted product, refer to State Land Waste Management Authority. Containers should be emptied as completely as practical before disposal.
------------------	--

## SECTION 14. TRANSPORT INFORMATION

<b>ADG Code:</b>	This product is NOT a Dangerous Good. No special transport conditions are necessary.
------------------	--

## SECTION 15. REGULATORY INFORMATION

<b>AICS:</b>	All ingredients listed in the Australian Inventory of Chemical Substances (AICS)
<b>GHS Classification:</b>	Skin Irritation Category 2 Eye Irritation Category 2A
<b>SUSMP:</b>	None allocated.
<b>ADG Code:</b>	None allocated.

## SECTION 16. OTHER INFORMATION

<b>Date of preparation or last revision of SDS</b>	17th May 2018
--	---------------

*THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THIS PRODUCT AND HOW TO SAFELY USE THIS PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE. IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS.*