Uni-Pro Painting Equipment

Material Safety Data Sheet

Product: Multi-Purpose Interior Filler

SECTION 1. PRODUCT IDENTIFICATION

Product name: Multi-Purpose Interior Filler

Synonym: Interior Filler Product Codes: 3500, 3515

Physical Form: Paste

Odour: Mild Acrylic Odour

CAS No.: Mixture

Flammability: Material may not burn in wet state

Manufacturer: UNI-PRO PAINTING EQUIPMENT

Supplier Address: Units 9-12, 144-150 Canterbury Road, Kilsyth VIC 3137

Supplier Contact:Customer ServiceTelephone:03 9761 7900Fax:03 9761 6522

SECTION 2. HAZARD IDENTIFICATION

Classification

Skin corrosion or irritation Category 2 Serious eye damage or eye irritation Category 2

Hazard Statement

H315 - Causes skin irritation.

H319 - Causes serious eye irritation

Precautionary Statement - Prevention

P264 - Wash thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement - Response

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

Precautionary Statement - Storage

No precautionary statement.

Precautionary Statement - Disposal

No precautionary statement

Uni-Pro Painting Equipment Product: Multi-Purpose Interior Filler

Page 2 of 4

Material Safety Data Sheet

SECTION 3. COMPOSITION AND HAZARDOUS COMPONENTS

Chemical Name	CAS Number	APPROX WT%
Latex Emulsion		1-5%
Water		22.5%
Ethylene Glycol	107-21-1	<5%
Mineral Spirits	64742-48-9	<5%
Titanium Dioxide	13463-67-7	<5%
Mineral Filler		50-80%
Additives		<5%

SECTION 4. FIRST AID MEASURES

Take off all contaminated clothing immediately.

In case of ingestion: Seek medical advice immediately.

In case of skin contact: Wipe with paper towel and immediately clean with water and soap.

In case of eyes contact: Immediately flush with water, seek medical advice if necessary.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water, foam, CO2, dry power and all standard fire-fighting media.

Unsuitable extinguishing media: Unknown.

Hazardous decomposition: Not specified.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Methods for cleaning up: Take up mechanically.

Uni-Pro Painting Equipment

Product: Multi-Purpose Interior Filler

Page 3 of 4

Material Safety Data Sheet

SECTION 7. HANDLING AND STORAGE

Handling: Ensure good ventilation during processing.

Wear safety shoes.

Protection against fire/ explosion: General rules of fire prevention should be observed.

Storage: Keep container tightly closed and dry.

Cautions: Extreme heavy in drum form if product packed in 200L drum.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ingredients with limited values
to be controlled:

Local exhaust:

Not indicated.

Recommended.

Recommended.

General ventilation:

Suitable protective gloves.

Hand protection:

Eye protection:

Safety / protective glasses.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Paste

Specific Gravity: Approx. 1.65.

Colour: White

Viscosity: Not indicated

Odour: Mild Acrylic Odour

Volatile % (25 deg C) < 30 %

VOC: Less than 40g/ Liter [after deduct exempted solvent (water)]

Solubility in water: Yes

Boiling point: 100°C

Flash point: Not known

Ignition temperature: Not known

Note: the above information is not intended for use in preparing specification.

Issued by: Uni-Pro Painting Equipment Pty Ltd.

Date of Issue: 04/02/2020

Uni-Pro Painting Equipment Product: Multi-Purpose Interior Filler Page 4 of 4

Material Safety Data Sheet

SECTION 10. STABILITY AND REACTIVITY

Chemical stability: Stable.

Incompatibility (material to be avoid): None known.

Conditions to be avoid: None known.

Dangerous reactions: None known.

Dangerous products of decomposition: No dangerous decomposition products known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity: Not determined.

Primary irritant effect on the skin: Irritant for skin and mucous membranes.

On the eye: Irritant effect.

Additional Toxicological information: When used and handled according to specification, the product does not have

any harmful effects according to our experience and the information provided to us.

SECTION 12. ECOLOGICAL INFORMATION

Complete information not yet available.

SECTION 13. DISPOSAL CONSIDERATIONS

Dispose the waste matters and contaminated packaging following law, rules and regulations.

Dispose to an authorised waste collection point.

Do not cast waste (waste fluid, solid waste and washing drainage etc.) that includes this product directly into a river, or bury it underground.

SECTION 14. TRANSPORT INFORMATION

Proper shipping name: Latex based Putty Filler (Joint Compound)

Hazard technical name:

Hazard class:

Not available.

No dangerous goods under the transport regulation.

SECTION 15. REGULATORY INFORMATION

Labeling (EC): This product is not subject to the labeling requirements of EC directives.

SECTION 16. OTHER INFORMATION

Date of last review: 4 February 2020

THE DATA ARE OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTENT OF THE INTENDED USE AND DETERMINE WHETHER THEY ARE APPROPRIATE.

Issued by: Uni-Pro Painting Equipment Pty Ltd.

Date of Issue: 04/02/2020